



# STEP 1: Guidance on COVID-19 Exposure Scenarios



All required documentation can be downloaded from [covid19.chconnect.org](https://www.covid19.chconnect.org).


**Note:** These documents were created by Christian Horizons ([www.christian-horizons.org/coronavirus](https://www.christian-horizons.org/coronavirus)) for information purposes only. They are based on public health guidance, but please defer to local, regional, and national public health authorities for the most up-to-date information (e.g. [canada.ca/coronavirus](https://canada.ca/coronavirus)).

# STEP 2: Supporting Someone Suspected to Have COVID-19



\* Other symptoms may include a new or worsening sore throat; difficulty swallowing; runny, stuffy, or congested nose (not related to seasonal allergies or other known causes or conditions); lost or reduced sense of taste or smell; nausea/vomiting, diarrhea, abdominal pain; or atypical symptoms such as unexplained fatigue or muscle aches; delirium; increased falls; acute functional decline; exacerbation of chronic conditions; chills; headaches; barking cough (croup) and pink eye. Update: June 10, 2020

# STEP 3: Supporting Someone Confirmed who has COVID-19



All required documentation can be downloaded from [covid19.chconnect.org](https://covid19.chconnect.org).

PHO documents are from [j.mp/PHOCOVID19](https://j.mp/PHOCOVID19)

*These links will bring you to the Canadian and Public Health of Ontario awareness resource sites, respectively.*

**Note:** These documents were created by Christian Horizons for information purposes only. They are based on public health guidance, but please defer to local, regional, and national public health authorities for the most up-to-date information.

\* Symptoms may include fever (approx. 37.8°C/100.04°F); a new or worsening cough, shortness of breath; sore throat; difficulty swallowing; runny, stuffy, or congested nose (not related to seasonal allergies or other known causes or conditions); lost or reduced sense of taste or smell; nausea/vomiting, diarrhea, abdominal pain; or atypical symptoms such as unexplained fatigue or muscle aches; delirium; increased falls; acute functional decline; exacerbation of chronic conditions; chills; headaches; croup and pink eye.